



CrazyDrill Cool SST-Inox 15 x d



<input type="checkbox"/> from stock	Item number	d₁ k5 [mm]	l₁ [mm]	l₂ [mm]	D (h6) [mm]	L [mm]
<input type="checkbox"/>	2.CD.150100.IC	1.00	15.00	18.5	4	62
<input type="checkbox"/>	2.CD.150105.IC	1.05	15.75	19.4	4	62
<input type="checkbox"/>	2.CD.150110.IC	1.10	16.50	20.4	4	62
<input type="checkbox"/>	2.CD.150115.IC	1.15	17.25	21.3	4	62
<input type="checkbox"/>	2.CD.150120.IC	1.20	18.00	22.2	4	64
<input type="checkbox"/>	2.CD.150125.IC	1.25	18.75	23.1	4	64
<input type="checkbox"/>	2.CD.150130.IC	1.30	19.50	24.1	4	66
<input type="checkbox"/>	2.CD.150135.IC	1.35	20.25	25.0	4	66
<input type="checkbox"/>	2.CD.150140.IC	1.40	21.00	25.9	4	68
<input type="checkbox"/>	2.CD.150145.IC	1.45	21.75	26.8	4	70
<input type="checkbox"/>	2.CD.150150.IC	1.50	22.50	27.8	4	70
<input type="checkbox"/>	2.CD.150155.IC	1.55	23.25	28.7	4	75
<input type="checkbox"/>	2.CD.150160.IC	1.60	24.00	29.6	4	75
<input type="checkbox"/>	2.CD.150165.IC	1.65	24.75	30.5	4	75
<input type="checkbox"/>	2.CD.150170.IC	1.70	25.50	31.5	4	76
<input type="checkbox"/>	2.CD.150175.IC	1.75	26.25	32.4	4	76
<input type="checkbox"/>	2.CD.150180.IC	1.80	27.00	33.3	4	76
<input type="checkbox"/>	2.CD.150185.IC	1.85	27.75	34.2	4	76
<input type="checkbox"/>	2.CD.150190.IC	1.90	28.50	35.2	4	80
<input type="checkbox"/>	2.CD.150195.IC	1.95	29.25	36.1	4	80
<input type="checkbox"/>	2.CD.150200.IC	2.00	30.00	37.0	4	80
<input type="checkbox"/>	2.CD.150205.IC	2.05	30.75	37.9	4	80
<input type="checkbox"/>	2.CD.150210.IC	2.10	31.50	38.9	4	80
<input type="checkbox"/>	2.CD.150215.IC	2.15	32.25	39.8	4	85
<input type="checkbox"/>	2.CD.150220.IC	2.20	33.00	40.7	4	85
<input type="checkbox"/>	2.CD.150225.IC	2.25	33.75	41.6	4	85
<input type="checkbox"/>	2.CD.150230.IC	2.30	34.50	42.6	4	86

Article in stock from spring / summer 2018.



RECOMMENDATION FOR USE


- Excellent
- ◐ Good
- Acceptable
- ⊗ Not recommended

Complementary products

CrazyDrill Coolpilot
CrazyDrill Crosspilot


Tolerance type	Ø d ≤ 3 mm	3 mm < Ø d ≤ 6 mm
h6	0 / -0.006	0 / -0.008
k5	+0.004 / 0	+0.006 / +0.001

CrazyDrill Cool SST-Inox 15 x d



<input type="checkbox"/> from stock	Item number	d ₁ k5 [mm]	l ₁ [mm]	l ₂ [mm]	D (h6) [mm]	L [mm]
<input type="checkbox"/>	2.CD.150235.IC	2.35	35.25	43.5	4	86
<input type="checkbox"/>	2.CD.150240.IC	2.40	36.00	44.4	4	86
<input type="checkbox"/>	2.CD.150245.IC	2.45	36.75	45.3	4	86
<input type="checkbox"/>	2.CD.150250.IC	2.50	37.50	46.3	4	90
<input type="checkbox"/>	2.CD.150255.IC	2.55	38.25	47.2	4	90
<input type="checkbox"/>	2.CD.150260.IC	2.60	39.00	48.1	4	90
<input type="checkbox"/>	2.CD.150265.IC	2.65	39.75	49.0	4	90
<input type="checkbox"/>	2.CD.150270.IC	2.70	40.50	50.0	4	92
<input type="checkbox"/>	2.CD.150275.IC	2.75	41.25	50.9	4	92
<input type="checkbox"/>	2.CD.150280.IC	2.80	42.00	51.8	4	94
<input type="checkbox"/>	2.CD.150285.IC	2.85	42.75	52.7	4	94
<input type="checkbox"/>	2.CD.150290.IC	2.90	43.50	53.7	4	98
<input type="checkbox"/>	2.CD.150295.IC	2.95	44.25	54.6	4	98
<input type="checkbox"/>	2.CD.150300.IC	3.00	45.00	55.5	6	100
<input type="checkbox"/>	2.CD.150305.IC	3.05	45.75	56.4	6	100
<input type="checkbox"/>	2.CD.150310.IC	3.10	46.50	57.4	6	102
<input type="checkbox"/>	2.CD.150315.IC	3.15	47.25	58.3	6	102
<input type="checkbox"/>	2.CD.150320.IC	3.20	48.00	59.2	6	106
<input type="checkbox"/>	2.CD.150325.IC	3.25	48.75	60.1	6	106
<input type="checkbox"/>	2.CD.150330.IC	3.30	49.50	61.1	6	106
<input type="checkbox"/>	2.CD.150335.IC	3.35	50.25	62.0	6	106
<input type="checkbox"/>	2.CD.150340.IC	3.40	51.00	62.9	6	106
<input type="checkbox"/>	2.CD.150345.IC	3.45	51.75	63.8	6	106
<input type="checkbox"/>	2.CD.150350.IC	3.50	52.50	64.8	6	108
<input type="checkbox"/>	2.CD.150355.IC	3.55	53.25	65.7	6	108
<input type="checkbox"/>	2.CD.150360.IC	3.60	54.00	66.6	6	110
<input type="checkbox"/>	2.CD.150365.IC	3.65	54.75	67.5	6	110

Article in stock from spring / summer 2018.



RECOMMENDATION FOR USE



- Excellent
- ◐ Good
- Acceptable
- ⊗ Not recommended

Complementary products

CrazyDrill Coolpilot
CrazyDrill Crosspilot


Tolerance type	Ø d ≤ 3 mm	3 mm < Ø d ≤ 6 mm
h6	0 / -0.006	0 / -0.008
k5	+0.004 / 0	+0.006 / +0.001

CrazyDrill Cool SST-Inox 15 x d



from stock	Item number	d ₁ k5 [mm]	l ₁ [mm]	l ₂ [mm]	D (h6) [mm]	L [mm]
<input type="checkbox"/>	2.CD.150370.IC	3.70	55.50	68.5	6	112
<input type="checkbox"/>	2.CD.150375.IC	3.75	56.25	69.4	6	112
<input type="checkbox"/>	2.CD.150380.IC	3.80	57.00	70.3	6	116
<input type="checkbox"/>	2.CD.150385.IC	3.85	57.75	71.2	6	116
<input type="checkbox"/>	2.CD.150390.IC	3.90	58.50	72.2	6	116
<input type="checkbox"/>	2.CD.150395.IC	3.95	59.25	73.1	6	116
<input type="checkbox"/>	2.CD.150400.IC	4.00	60.00	74.0	6	116
<input type="checkbox"/>	2.CD.150410.IC	4.10	61.50	75.9	6	118
<input type="checkbox"/>	2.CD.150420.IC	4.20	63.00	77.7	6	120
<input type="checkbox"/>	2.CD.150430.IC	4.30	64.50	79.6	6	122
<input type="checkbox"/>	2.CD.150440.IC	4.40	66.00	81.4	6	126
<input type="checkbox"/>	2.CD.150450.IC	4.50	67.50	83.3	6	126
<input type="checkbox"/>	2.CD.150460.IC	4.60	69.00	85.1	6	126
<input type="checkbox"/>	2.CD.150470.IC	4.70	70.50	87.0	6	129
<input type="checkbox"/>	2.CD.150480.IC	4.80	72.00	88.8	6	131
<input type="checkbox"/>	2.CD.150490.IC	4.90	73.50	90.7	6	133
<input type="checkbox"/>	2.CD.150500.IC	5.00	75.00	92.5	6	135
<input type="checkbox"/>	2.CD.150510.IC	5.10	76.50	94.4	6	137
<input type="checkbox"/>	2.CD.150520.IC	5.20	78.00	96.2	6	141
<input type="checkbox"/>	2.CD.150530.IC	5.30	79.50	98.1	6	141
<input type="checkbox"/>	2.CD.150540.IC	5.40	81.00	99.9	6	141
<input type="checkbox"/>	2.CD.150550.IC	5.50	82.50	101.8	6	143
<input type="checkbox"/>	2.CD.150560.IC	5.60	84.00	103.6	6	145
<input type="checkbox"/>	2.CD.150570.IC	5.70	85.50	105.5	6	147
<input type="checkbox"/>	2.CD.150580.IC	5.80	87.00	107.3	6	151
<input type="checkbox"/>	2.CD.150590.IC	5.90	88.50	109.2	6	151
<input type="checkbox"/>	2.CD.150600.IC	6.00	90.00	111.0	6	151

Article in stock from spring / summer 2018.



RECOMMENDATION FOR USE

- Excellent
- ◐ Good
- Acceptable
- ⊗ Not recommended

Complementary products

CrazyDrill Coolpilot
CrazyDrill Crosspilot

Tolerance type	Ø d ≤ 3 mm	3 mm < Ø d ≤ 6 mm
h6	0 / -0.006	0 / -0.008
k5	+0.004 / 0	+0.006 / +0.001

Headquarter and Production
MIKRON TOOL SA AGNO
Phone +41 91 610 40 00
Fax. +41 91 610 40 10
mto@mikron.com

Production and Regrinding
MIKRON GMBH ROTTWEIL
Phone +49 741 5380 450
Fax. +49 741 5380 480
info.mtr@mikron.com

North and South America Sales
MIKRON CORP. MONROE
Phone +1 203 261 3100
Fax. +1 203 268 4752
mmo@mikron.com

China Sales
MIKRON TOOL SHANGHAI
Phone +86 21 2076 5671
Fax. +86 21 2076 5562